


2010 Sundance Spas 680 Tacoma Specifications

Dimensions:	68" x 68" x 31" (173 cm x 173 cm x 79 cm)
Seating Capacity:	2 Adults
Dry Weight:	394 lbs (179 kg)
Filled Weight:	1,946 lbs (883 kg)
Water Capacity (Spa Volume):	186 US Gal (704 Liters)
Water Capacity (Average Fill):	147 US Gal (556 Liters)
Controls:	Series Solid-State Electronic Controls with LED Readout, Programmable Water Temperature, Filtration and Heat Cycles
Water Delivery:	1 High Flow Pump
Pump 1:	North America (60 Hz): 1.5 HP/2-Speed Continuous, 11.0A max. Export (50 Hz): 2-HP/2-Speed Continuous, 8.0A max.
Total Hydrojets:	12
Therapy Seat 1 Jets (A):	6 DXL
Therapy Seat 2 Jets (B):	3 DVX
Therapy Seat 3 Jets (C):	2 DXL
Foot Well Jet (D):	1 DVX
Air Controls/Massage Selectors:	1 Air Control; No Massage Selector
Filter:	35 ft ² Filter Cartridge System
Water Treatment:	Ozone adaptable
Lighting:	SunGlow Multi-Color LED Light
Synthetic Cabinet:	Available in Sierra, Coastal, and Mahogany
Shell Colors:	North America: Platinum, Sand, Sahara, Copper Sand, Twilight, Graphite, Celestite, Oyster Export (50 Hz): All North America colors
Headrest:	Two, 1-Piece Gray
Heater:	North America (60 Hz): High Flow, 1 kW@120 VAC or Convertible to 4 kW@240 VAC; Export (50 Hz): High Flow, 2.7 kW
Electrical Requirements:	North America Convertible Model (60 Hz): 120 VAC@15A with Supplied GFCI Cord or 240 VAC@30A or 40A (Hard Wired Only); Export (50 Hz): 230-240 VAC@20A or 30A or Suitably Rated Circuit Breaker to Comply with Local Electrical Regulations. Certain Countries May Require 2 Power Inputs; Two GFCI/RCD Breakers are Required for This Configuration.
Limited Warranty*:	North America (60 Hz): 5 Years Shell, 3 Years Shell Surface, 3 Years Plumbing Component Leaks, 3 Years Equipment and Controls, 1 Year Cabinet and Jets Export (50 Hz): 5 Years Shell, 3 Years Shell Surface, 1 Year Plumbing Component Leaks, 1 Year Equipment and Controls, 1 Year Cabinet, 1 Year Jets
Inground Model:	Not Available



*(See Warranty Document for Specific Details)

Dimensions/Specifications Subject To Change Without Notice

2010 Sundance Spas 680 Tacoma

Operation/New Features



A Air Control - Supplies Air to All Jets

12 Total Jets



DXL
Jets (8)



DVX
Jet (4)




Spa Operation Subject To Change Without Notice

NEW FOR 2010!

Dimensions/Specifications Subject To Change Without Notice

2010 Sundance Spas 680 Tacoma

Portable Dimensions



IMPORTANT! Always measure each hot tub for exact dimensions **BEFORE** designing its foundational support and/or decking.

